

Fastener Sealability

GCP's self-adhered underlayments (Grace Ice & Water Shield®, Grace Ice & Water Shield® HT, Grace Ultra™, Grace Select™, Grace Roof Detail Membrane™ and Grace Basik®) are formulated to provide a quality seal around fastener penetrations. However, the quality of that seal can be significantly affected by the type of fastener used and the manner in which they are installed.

For best results, use smooth shank electroplated galvanized fasteners. Hand nailing generally provides a better seal than power activated nailing. Do not install the fasteners through the Grace underlayment over unsupported areas of the structural deck, such as over the joints between adjacent structural panels. In addition, the fasteners should be installed as straight as possible so the membrane is not torn. It is important that the temperature at the time the fasteners are installed through membrane is 40°F (5°C) or higher for optimum sealability. If fasteners are removed leaving holes in the Grace underlayment, the membrane must be patched with a round piece of membrane extending past the damaged area 6 inches (150 mm) in all directions. Grace underlayments may not self-seal open fastener penetrations.

gcpat.com | North America Customer Service: 1-866-333-3726

We hope the information here will be helpful. It is based on data and knowledge considered to be true and accurate, and is offered for consideration, investigation and verification by the user, but we do not warrant the results to be obtained. Please read all statements, recommendations, and suggestions in conjunction with our conditions of sale, which apply to all goods supplied by us. No statement, recommendation, or suggestion is intended for any use that would infringe any patent, copyright, or other third party right.

Ice & Water Shield, Grace Basik, Grace Ultra, Grace Select and Grace Roof Detail Membrane are trademarks, which may be registered in the United States and/or other countries, of GCP Applied Technologies Inc. This trademark list has been compiled using available published information as of the publication date and may not accurately reflect current trademark ownership or status.

© Copyright 2016 GCP Applied Technologies Inc. All rights reserved.

GCP Applied Technologies Inc., 62 Whittemore Avenue, Cambridge, MA 02140 USA.

In Canada, GCP Canada, Inc., 294 Clements Road, West, Ajax, Ontario, Canada L1S 3C6.

Printed in U.S.A. U-239-0316 RE0036 CD/PDF

THE BRAND
YOU KNOW AND TRUST
HAS A NEW NAME

GRACE


gcp applied technologies