

# MORTARD®

Retarding admixture for masonry mortar

---

## Product Description

MORTARD® is a ready-to-use, pale brown aqueous solution of chemical compounds that provide extended life, increased workability and greater compressive strengths of Portland cement-based masonry mortar. The ingredients are factory premixed in exact proportions under strict quality control to provide uniform, predictable masonry mortar.

One litre of MORTARD weighs approximately 1.2kg ± 0.02kg

## Applications

The masonry construction industry's need for job site mixing of mortar has typically been carried out by proportioning with shovels or pails. This requires the maintenance of a site stockpile of aggregate and cementitious materials as well as mixers and mixer men. MORTARD used in ready mix mortar eliminates these needs and at the same time increases productivity, while providing mortar consistency and uniformity, a requirement for quality masonry work.

## Product Advantages

- Extended life of fresh mortar up to 48 hours
- Reliable quality and uniformity of pre-mixed mortar
- Improved plasticity, water retention and board life
- Ready-to-use fresh mortar eliminates site mixing, minimises labour costs
- Improved productivity

MORTARD is used in centrally-produced ready-mixed masonry mortar. Mortar prepared with MORTARD remains plastic, provides increased workability and extended life, allowing you to store mortar in covered bulk containers, buckets, tubs, pans or bags. Actual mortar life is dependent upon dosage rate.

Typical mortar life of 12 to 48 hours is possible.

MORTARD is used to provide extended life in Portland cement/ lime mortar as well as in masonry cement mortar. Other uses for MORTARD include Portland cement-based stucco scratch and surface coats.


## Addition Rates

Addition rates for MORTARD range from 0.40 to 0.80L / 100kg of cementitious material. The amount used will depend upon the period of workability required for specific job conditions. In general, longer periods of workability or higher temperatures will require higher addition rates. Conversely, the addition rate of MORTARD will be lower for shorter periods of workability or trowelability, but in general, minimal re-tempering will not deter quality. An evaluation of addition rates with specific mortar materials and proportions is recommended.

## Compatibility with Other Admixtures

MORTARD is compatible in mortar with all commercial airetraining admixtures such as Daravair. Due to the slight airetraining properties of MORTARD it is necessary to make a preliminary evaluation of air entrainment and make product dosage adjustments accordingly.

Protect from freezing. Once frozen, the product should be thawed out slowly and re-mixed thoroughly prior to use.



## Action

MORTARD provides extended mortar life, disperses cement particles, allows for more complete cement hydration and greater mortar strengths. Through its retarding action, MORTARD will maintain the plasticity of the mortar while in bulk storage. Upon application of the mortar in thin beds, the setting characteristic is accelerated. The masonry units absorb the mixing water and dissolved admixture, causing the mortar to stiffen and setting to accelerate.

## Advantages

Economy is the primary benefit. Years of experience have proven that ready-mixed concrete is more economical than site-mixed concrete. Because of its life-extending effects, MORTARD brings comparable cost-saving benefits to ready-mixed mortar.

The ability to premix mortar and deliver it to the job site in ready-to-use form eliminates the need for storage facilities to protect the sand and cement from contamination, loss and the elements. Worker productivity is also increased. The mason formerly assigned to mortar mixing can now work on lay-up.

And because the mortar is centrally batched in large quantities, the consistency is uniform and re-tempering is minimal, if required at all. MORTARD also eliminates waste because unused mortar can be kept in storage for use the following day.

## Dispensing Equipment

Please contact your local GCP representative for further information regarding the dispensing equipment for this product.

## Packaging & Storage

MORTARD is available in bulk, and 205L containers. Bulk deliveries can also be arranged for large off take requirements.

## Health and Safety

See MORTARD Material Safety Data Sheet or consult GCP Applied Technologies.

[gcpat.my](http://gcpat.my) | For technical information: [asia.enq@gcpat.com](mailto:asia.enq@gcpat.com)

Australia 1800 855 525 New Zealand +64 9 448 1146 China Mainland +86 21 3158 2888 Hong Kong +852 2675 7898 India: Chennai +91 44 6624 2308 Manesar + 91 124 488 5900 Indonesia +62 21 893 4260 Japan +81 3 5226 0231 Korea +82 32 820 0800 Malaysia +60 3 9074 6133 Philippines +63 49 549 7373 Singapore +65 6265 3033 Thailand +66 2 709 4470 Vietnam +84 8 3710 6168

We hope the information here will be helpful. It is based on data and knowledge considered to be true and accurate, and is offered for consideration, investigation and verification by the user, but we do not warrant the results to be obtained. Please read all statements, recommendations, and suggestions in conjunction with our conditions of sale, which apply to all goods supplied by us. No statement, recommendation, or suggestion is intended for any use that would infringe any patent, copyright, or other third party right.

MORTARD is a trademark, which may be registered in the United States and/or other countries, of GCP Applied Technologies, Inc. This trademark list has been compiled using available published information as of the publication date and may not accurately reflect current trademark ownership or status.

© Copyright 2016 GCP Applied Technologies, Inc. All rights reserved.

Printed in Singapore | 10/16 | 200-MORTARD-228

GCP Applied Technologies Inc., 2325 Lakeview Parkway, Alpharetta, GA 30009, USA

GCP Applied Technologies (Malaysia) Sdn. Bhd, 7 Lorong CJ 1/1A, Off Jalan Balakong, 43200 Cheras Jaya, Kuala Lumpur, Malaysia

This document is only current as of the last updated date stated below and is valid only for use in Malaysia. It is important that you always refer to the currently available information at the URL below to provide the most current product information at the time of use. Additional literature such as Contractor Manuals, Technical Bulletins, Detail Drawings and detailing recommendations and other relevant documents are also available on [www.gcpat.my](http://www.gcpat.my). Information found on other websites must not be relied upon, as they may not be up-to-date or applicable to the conditions in your location and we do not accept any responsibility for their content. If there are any conflicts or if you need more information, please contact GCP Customer Service.

Last Updated: 2023-06-13

[gcpat.my/solutions/products/mortard](http://gcpat.my/solutions/products/mortard)