

Sheffield Junction Intersection upgrade benefits from high-performance waterproofing

The ELIMINATOR[®] system helps keep rail traffic moving on large scale rail project



Project	Sheffield Junction Intersection, USA
Client	Kansas City Terminal Railway Corporation
Contractor	Transystems Corp
Authorised Contractor (Waterproofing Applicator)	Venture Construction
GCP Solutions	ELIMINATOR [®] Bridge Deck Waterproofing System

Project

Solving traffic bottlenecks

Over the years, increases in rail traffic through the Sheffield Junction Intersection had led to bottlenecks, and idle freight trains mean loss of profits. This was affecting not only Kansas City traffic but also traffic on the Union Pacific and Kansas City Southern railroads. The solution was a new three-mile long rail flyover at the intersection.

Relocating a cold water chilling system

TranSystems Corporation's innovative approach to install 80-ft precast and prestressed beams won the American Consulting Engineers Council's Honour Award in 2001. The development itself, however, was faced with many difficulties. The intersection is in the middle of an industrial part of the city. This meant that the engineers had to relocate a cold water chilling system for a nearby steel plant and cope with the problems of argon, nitrogen and natural gas carrier lines.

For much of the project, there was insufficient space for a site to store the massive steel beams and concrete spans. In addition, deliveries could only take place at certain times since there were restrictions as to when the trucks could use adjacent roads.



Application of waterproofing membrane accelerates project completion

The specifiers selected the **ELIMINATOR**[®] bridge deck waterproofing system from Stirling Lloyd (now GCP Applied Technologies) for what was then the largest US rail project to date. The **ELIMINATOR**[®] system was chosen based on its track record for longevity, as well as its ability to help lower future maintenance costs.

Once the bridge was in place, PAR1 primer was used to prime the new surface, and this was then covered with two coats of the **ELIMINATOR**[®] waterproofing system, which is based on unique **ESSELAC**[®] technology.

Due to the fast curing of the membrane, the track contractor was able to bring in equipment within 24 hours to put down ballast and lay track. As the waterproofing of the bridge was carried out in the winter, the ELIMINATOR[®] system's ability to cure under adverse weather conditions meant that the project could go ahead despite the cold wet weather of a Missouri winter.

Thanks to the speed of application of the waterproofing solution, the contractor was able to finish the project two months ahead of schedule. The project was clearly a success, with the speed of rail traffic through Kansas City increasing from 15 to 50 miles an hour.

Blue360SM Total Business Advantage.

The power of GCP products, performance and people

North America customer service: 1-877-4AD-MIX (1-877-423-6491)

GCP Applied Technologies Inc., 2325 Lakeview Parkway, Alpharetta, GA 30009, USA

GCP Applied Technologies (Malaysia) Sdn. Bhd, 7 Lorong CJ 1/1A, Off Jalan Balakong, 43200 Cheras Jaya, Kuala Lumpur, Malaysia

This document is only current as of the last updated date stated below and is valid only for use in Malaysia. It is important that you always refer to the currently available information at the URL below to provide the most current product information at the time of use. Additional literature such as Contractor Manuals, Technical Bulletins, Detail Drawings and detailing recommendations and other relevant documents are also available on www.gcpat.my. Information found on other websites must not be relied upon, as they may not be up-to-date or applicable to the conditions in your location and we do not accept any responsibility for their content. If there are any conflicts or if you need more information, please contact GCP Customer Service.

Last Updated: 2022-01-31

gcpat.my/inspiration/project-profiles/sheffield-junction-intersection-upgrade-benefits-from-high-performance-waterproofing